

## **Our Products**



facebook.com/rockshieldpaints

www.rockshieldpaint.com

© Rockshield Paints, 2023

# **Budget (Economy) Products**

Product	Description & Features	Packaging	Coverage m2/Unit
Budget Undercoat Paint  Rockitisteld Undercoat	<ul> <li>Economy/Budget product</li> <li>Emulsion (Water-based) paint</li> <li>For interior &amp; exterior application</li> <li>Applied as first coat of paint (primer/undercoat) on new/old surface</li> <li>Gives a Flat/Matt finish</li> <li>Superior substrate bonding- providing a tough foundation for standard top-coat paints</li> <li>Suitable on concrete, plaster &amp; wood</li> <li>Applied in 2 coats on new plaster</li> <li>Thin with water (15-20% Volume)</li> <li>Drying time is 3-6 Hours (depending on weather conditions)</li> <li>Standard color is White but can be custom-made to any desired color</li> </ul>	4L & 20L Jerry- cans	5m2/L (on standard plaster surfaces)

Standard Emulsion  Rockshield  Rockshield  Rockshield	<ul> <li>Custom –color prices vary with Specific Color</li> <li>Not suitable Primer for Texture Paste</li> <li>Budget/Economy product</li> <li>Emulsion paint (Water-based paint)</li> <li>Top-coat paint (finishing paint)</li> <li>For interior &amp; exterior application</li> <li>Suitable on concrete, plaster &amp; wood surfaces</li> <li>Superior bonding-does not chalk (powdering on touch)</li> <li>Thin with water (15-20% Volume)</li> <li>Apply 2 coats for best results</li> <li>Flat/Matt Finish-hides wall surface imperfections</li> <li>1-3 Hours Drying time</li> </ul>	4L & 20L	5-6m2/L
Paints Standard Er	surface imperfections		

			T	T
	•	Budget/Economy product	4L & 20L Jerry-	5m2/L (on
<b>Budget Matt Emulsion</b>	•	Emulsion (water-based) Paint	cans	standard
_	•	Top-coat paint		surfaces)
	•	For interior /exterior application		
		on ceilings & eaves		
9 9	•	Gives a flat/matt finish-hides		
		surface imperfections		
	•	Superior substrate bonding		
Rockshield Paints	•	NOT washable (don't wipe with		
the boundard diving:		wet cloth)		
eld Congress	•	Standard Color is White but can		
Andactured By Rockshield Paints Uganda Limited		be made on order in other		
** The state of th		custom colors		
	•	Prices vary with custom color		
	•	For best results apply in 2		
		uniform coats (Allowing 1-3		
		hours drying time)		
	•	Thin with water (15-20%		
		Volume)		
	•	Exterior Budget (Economy) Paint	4L & 20L Jerry-	5m2/L (On
<b>Exterior Emulsion</b>		designed for exteriors on plaster,	cans	standard plaster
		concrete or wood		surfaces)
		Emulsion (water-based) paint		
		Top-coat paint for exterior wall		
		decoration		
		Formulated with superior resins		
		Gives a beautiful flat/matt finish		
1	1	<u> </u>	l .	1



- Superior substrate bonding
- Made to last against weather elements
- Made with special additives to resist natural degrading elements
- Available in a wide color range
- Price varies with *custom color*
- Apply in 2 coats for best results
- Thin with water (15-20% Volume)
- Dries within 3 hours (depending on weather conditions)
- Do not apply if rain is expected in the next 3 hours

## **Premium (High-Performance) Products**

Product	Description & Features	Packaging	Coverage m2/Unit
Rockshield Paints  STANDERD  NDERGDAT  20L  The Management Principle Paint Uganda Limited  The Management Paint Uganda Lim	<ul> <li>Economy/Budget product</li> <li>Emulsion (Water-based) paint</li> <li>For interior &amp; exterior application</li> <li>Applied as first coat of paint (primer/undercoat) on new/old surface</li> <li>Gives a Flat/Matt finish</li> <li>Superior substrate bonding-providing a tough foundation for standard top-coat paints</li> <li>Suitable on concrete, plaster &amp; wood</li> <li>Applied in 2 coats on new plaster</li> <li>Thin with water (15-20% Volume)</li> <li>Drying time is 3-6 Hours (depending on weather conditions)</li> <li>Standard color is White but can be custom-made to any desired color</li> </ul>	4L & 20L Jerry- cans	5m2/L (on standard plaster surfaces)

Interior Acrylic Undercoat	<ul> <li>Custom –color prices vary with Specific Color</li> <li>Not suitable Primer for Texture Paste</li> <li>A premium quality product</li> <li>Acrylic (water-based) interior primer for professional (highend) projects</li> <li>Made with superior resins/additives for high</li> </ul>	4L & 20L Jerry- cans	5-6m2/L on standard plaster surface
Rockshield Paints  Rockshield Pa	<ul> <li>performance</li> <li>Smooth-Flat finish</li> <li>It has high opacity (covering ability)</li> <li>Excellent substrate bonding &amp; provides a strong foundation for top-coat (finishing) paint</li> <li>Brilliant White</li> <li>Thin with water (15-20% Volume)</li> <li>Drying time is 1-3 hours</li> <li>Made to order</li> </ul>		
Exterior Acrylic Undercoat	<ul> <li>A premium quality product</li> <li>Specialty exterior primer for professional (high-end) projects</li> </ul>	4L & 20L Jerry- cans	5-6m2/L on standard plaster surface

Rockshield  Architectural Wall Coatings  And Mark Mark Markers, Agend   Present 1788 794 (1911/27478)  Res 705 703 808 408   President Markers   P	<ul> <li>Made with superior resins/additives for high performance</li> <li>Designed for exterior application</li> <li>Flat finish</li> <li>It has high opacity (covering ability)</li> <li>Excellent substrate bonding &amp; provides a strong foundation for top-coat (finishing) paint</li> <li>Standard color is Brilliant White (can be tinted)</li> <li>Thin with water (15-20% Volume)</li> <li>Drying time is 1-3 hours</li> <li>Made to order</li> </ul>		
Premium Matt Emulsion	<ul> <li>A premium quality product</li> <li>Acrylic (water-based) ceiling paint</li> <li>Made with superior resins, pigments &amp; additives</li> <li>For interior &amp; exterior application on ceilings &amp; eaves</li> <li>Gives a brilliant white (matte) finish</li> </ul>	4L & 20L Jerry- cans	5-6m2/L (on standard plaster/skimmed surface)

Rockshield Paints  Shariffer Reings  Shariffer R	<ul> <li>Excellent opacity/ hiding power</li> <li>Excellent substrate bonding</li> <li>Thin with water (15-20% Volume)</li> <li>Drying time is 1-3 hours</li> </ul>		
Silkcoat	<ul> <li>A premium quality interior wall-decoration paint</li> <li>Acrylic (water-based) decorative paint</li> <li>Made with superior vinyl acrylic resins &amp; additives</li> <li>Provides excellent substrate bonding</li> <li>Gives a Silky-sheen (smooth &amp; shiny) finish</li> </ul>	Packed in 4L & 20L Buckets	10m2/L on a well skimmed surface

Rockshield Paints  Silkcoat  Paints  Paints	<ul> <li>Creates a water-proof (plastic) finish upon drying</li> <li>Stain &amp; dust resistant</li> <li>Washable (Clean with soapy water &amp; soft wiper/towel)</li> <li>Do not scrub!</li> <li>Available in a wide color range</li> <li>Prices vary with custom color</li> <li>Quick drying paint (Dries within an hour)</li> <li>Ideal for all interior spaces</li> </ul>		
Vinyl Satin	<ul> <li>A premium quality product</li> <li>Acrylic (water-based) paint</li> <li>Based on Pure Acrylic resins</li> <li>For interior wall decoration</li> <li>Suitable for all interior spaces</li> <li>Provides a satin (egg-shell) finish</li> <li>Water resistant</li> <li>Stain &amp; dust resistant</li> <li>Available in a wide color range</li> </ul>	Packed in 4L & 20L Buckets	10m2 on a well-skimmed surface

Rockshield  Architectural Wall Conflant  State S	•	Quick drying paint-dries within an hour		
Rockshield Paints	•	A premium quality product Acrylic (water-based) paint For exterior wall decoration Made with superior resins and additives to last against weather elements Has a subtle-sheen finish Excellent substrate bonding Stain & dust resistant Self-cleaning properties Available in a wide color range Quick-drying paint-dries within an hour	Packed in 4L & 20L Buckets	10m2/L on standard plaster surface

Exterior Matt	<ul> <li>A premium quality product</li> <li>Acrylice (water-based) paint</li> <li>For exterior wall decoration</li> <li>Suitable on all types of drywall-plaster, concrete, brick, wood</li> <li>Made with high quality resins and hardened with special additives to make it last against weather and natural</li> </ul>	4L & 20L Jerry- cans	5-6m2/L on standard plaster
Architectural Wall Coatings    Inc. Asc., Asr. o. Past., Notes., Aganda   Planes. +555 No. 108 1877-523 No. 118   St. 5   30 30 6 46 6   Production of management of manag	<ul> <li>degrading elements.</li> <li>Produces a matte finish</li> <li>Excellent substrate bonding</li> <li>Available in a wide color range</li> <li>Thin with water</li> <li>Dries within 2-3 hours</li> </ul>		

# **Special (Designer) Products**

Product	Description & Features	Packaging	Coverage (m2/Unit)
Rockshield Architectural Coatings TEXTURE PRIME PRINTING BOND FOR TEXTURE COATINGS TEXTURE	<ul> <li>A special type of primer designed for heavy-decorative wall coatings like texture paste, Rockmossaic and decorative stones</li> <li>Based on high performance acrylic resins</li> <li>For interior &amp; exterior use</li> <li>Emulsion (water-based) primer</li> <li>Made with high quality resins for the toughest substrate bonding</li> <li>It provides a heavy-duty foundation for heavy decorative textured coatings</li> <li>Available in a wide color range</li> <li>Color tinted close to the finishing coat</li> <li>Made to order, supplied ready to use</li> <li>Do not thin (Add water)!</li> <li>Allow 6-12 Hours drying time</li> </ul>	Packed in 4L & 20L Jerry-cans	5m2/L on standard plaster surface
	<ul> <li>A trendy high-end decorative wall product</li> </ul>	Packed 30Kg	3-4Kg/m2

#### **Texture Paste**



- Emulsion (water-based) decorative wall coating
- Variants-1.5, 2.0mm, 2.5 & 3.0mm
- Provides a variety of texture finishes including the popular rough & raked designs
- Interior & exterior use
- Made with the toughest resins for toughest bonding
- Special additives to assure a durable coating
- Matt finish (without a glaze)
- Thin with a little water (2-5%)
- Available in a wide color range
- Drying time is 24 hours

Italian Stucco  Architectural Coating Stucco Marrier  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<ul> <li>A trendy high-end interior decorative wall product</li> <li>Emulsion (water-based) product</li> <li>Produces a beautiful ultrasmooth marble-like finish</li> <li>Available in a wide-color range</li> <li>Trowel applied</li> </ul>	Packed in 5Kg & 25Kg Buckets	2Kg/m2
Decorative Wall Putties  Rockshiel  Architectural Wall Confidence of Particular States and Particular States a	<ul> <li>A designer wall covering material</li> <li>Emulsion (water-based) coating</li> <li>Available in interior and exterior variants to designer ceilings and walls</li> <li>Tinted to a wide color range</li> <li>May be finished with a glaze</li> <li>Made to order, supplied ready to use</li> <li>Drying time is 24 hours</li> <li>Do not thin</li> </ul>	Packed in 5Kg & 25Kg Buckets	2-3Kg/m2

Rocksh  Withtectural Wall  Rocksh  Withtectural Wall  Rocksh  Withter Wall  Rocksh  With	<ul> <li>A designer wall covering material</li> <li>Emulsion (water-based) coating</li> <li>Available in interior and exterior variants to designer ceilings and walls</li> <li>Tinted to a wide color range</li> <li>May be finished with a glaze</li> <li>Made to order, supplied ready to use</li> <li>Drying time is 24 hours</li> <li>Do not thin</li> </ul>	Packed in 5Kg & 25Kg Buckets	2-3Kg/m2
Rolusor (Roll-on Texture) Paint  Rockshiel  Architectural Wall God  Architectu	<ul> <li>An interior &amp; exterior wall designer product</li> <li>Water-based and resin bonded decorative material</li> <li>Available in a wide color range</li> <li>Packed in 5Kg and 25Kg buckets</li> <li>Made to order; supplied ready to use</li> </ul>	Packed in 5Kg & 25Kg Buckets	2-3Kg/m2

Permamosaic  Architectural Coating  Stone Mosaic Plaster  Mineral Stone Coating Stone Coating Stone Mosaic Plaster  Mineral Stone Coating Stone Mosaic Plaster  Mineral Stone Coating Stone Coating Stone Mosaic Plaster  Mineral Stone Coating Stone  Mineral Stone	<ul> <li>A trendy high-end product for interior &amp; exterior wall decoration</li> <li>Emulsion (water-based) stone coating</li> <li>Marble aggregates are embedded in a transparent binder to produce a beautiful and extra-strong stone-based wall coating</li> <li>Available in 1.0mm &amp; 1.5mm variants</li> <li>Available in a wide color range</li> <li>Made to order, supplied ready to use</li> <li>DO NOT thin (Dilute)</li> <li>Drying time is 24 Hours</li> </ul>	Packed in 5Kg & 25Kg Buckets	3-4Kg/m2
Permacoat	<ul> <li>A trendy high-end product for interior &amp; exterior wall decoration</li> <li>Emulsion (water-based) stone coating</li> <li>Marble aggregates are embedded in a transparent binder to produce a beautiful and extra-strong stone-based wall coating</li> </ul>	Packed in 5Kg & 25Kg Buckets	3-4Kg/m2

Architectural Coatings  Permacoat  Marble Coating System  Marble Coa	<ul> <li>Available in 1.0mm &amp; 1.5mm variants</li> <li>Available in a wide color range</li> <li>Made to order, supplied ready to use</li> <li>DO NOT thin (Dilute)</li> <li>Drying time is 24 Hours</li> </ul>		
Permaplast	<ul> <li>A trendy high-end product for interior &amp; exterior wall decoration</li> <li>Emulsion (water-based) stone coating</li> <li>Marble aggregates are embedded in a transparent binder to produce a beautiful and extra-strong stone-based wall coating</li> </ul>	Packed in 5Kg & 25Kg Buckets	3-4Kg/m2

Rockship  Vestroctural Wolf Gr  Vestroctural	<ul> <li>Available in 1.0mm &amp; 1.5mm variants</li> <li>Available in a wide color range</li> <li>Trowel applied</li> <li>Made to order, supplied ready to use</li> <li>DO NOT thin (Dilute)</li> <li>Drying time is 24 Hours</li> </ul>		
Decorative Stones	<ul> <li>A trendy stone-based decorative system for interior &amp; exterior wall décor</li> <li>Emulsion (water-based) coating</li> <li>Eco-friendly</li> <li>Available in variants of 4.8mm, 3.2mm, 2.5mm, 2mm, 1.5mm, 1.0mm</li> <li>Stone aggregates are embedded into a resin-bonded background plaster (binder/base) to produce an attractive and durable coating</li> <li>Available in a wide color range</li> <li>Drying time is 24 hours</li> </ul>	Sold in Kg	3-5Kg/m2

Stone Binder (Base-coat)  Architectural Coatring of the Coatri	<ul> <li>Rockshield Stone Binder is the background plaster (base) for Rockshield Decorative stones</li> <li>Comes in variants of smooth and grained depending on the size of aggregates (1mm, 1.5mm, 2mm, 2.5mm, 3.2mm, 4.8mm</li> <li>Based on high performance acrylic resins</li> <li>Tinted to a wide color range for any custom base color</li> </ul>	Packed in 1L, 5L & 20L Buckets	1L/m2
Standard Glaze  Architectural Cooling  Archit	<ul> <li>A clear acrylic resin glaze coat based on high performance resins of outstanding quality</li> <li>It is recommended for use on all Rockshield interior &amp; exterior specialized coatings</li> <li>It is resistant to dirt pickup</li> <li>Resistant to UV</li> <li>Excellent hardness</li> <li>Washable-resistant to detergents</li> <li>Applied 1 or 2 coats</li> </ul>	Packed in 1, 5 & 20L containers	2m2/L

Texture Top-coat	Texture top-coat is a pure-acrylic-based topcoat paint available in a wide range of colors	Packed in 1L, 5L & 20L containers	5m2/L
Rockshield	<ul> <li>Based on high performance pureacrylic resins</li> <li>Emulsion (water-based) glaze</li> <li>Rockshield Texture Top-coat can be used to overcoat our texture finishes to provide uniform or unique multi-color patterns</li> <li>Made to order, supplied ready to use</li> <li>Thin with water</li> </ul>		

**Notable Projects** 













## **Rockshield Paints Uganda Limited**

Head Office: Blue House, Kabulengwa Road, Kyebando Zone, Kampala-Hoima Highway, Wakiso, Uganda Tel: +256774731931, +256754908972, +256700168967 WhatsApp: +256700306464 Email:rockshieldpaints@gmail.com

Facebook: rockshieldpaints Website: www.rockshieldpaint.com



Architectural Wall Coating Systems